

# Elasticsearch Cheat Sheet

## update\_by\_query

```
POST /index/_update_by_query
{
  "script": "ctx._source.field = 'correct value'",
  "query": {
    "term": {
      "field": "wrong value"
    }
  }
}
```

## backup

### Add backup directory to repository

```
$ grep backup /srv/elk/elasticsearch/config/elasticsearch.yml
path.repo: [ "/backup" ]
```

### Register snapshot repository

```
PUT /_snapshot/backup
{
  "type": "fs",
  "settings": {
    "location": "/backup",
    "compress": "true"
  }
}
```

### Create snapshot

```
PUT /_snapshot/backup/snapshot_${date}?wait_for_completion=true
```

### Prune Indices with curator

```
$ cat action.yml
actions:
  1:
```

```
action: delete_indices
description: >-
  Delete indices older than 5 days (based on index name), for logstash-
  prefixed indices. Ignore the error if the filter does not result in an
  actionable list of indices (ignore_empty_list) and If you want to
  change the retention Days then goto unit_count:<enter no of day>.
options:
  ignore_empty_list: True
  timeout_override:
  continue_if_exception: False
  disable_action: False
filters:
- filtertype: pattern
  kind: prefix
  value: logstash-
  exclude:
- filtertype: age
  source: name
  direction: older
  timestring: '%Y.%m.%d'
  unit: days
  unit_count: 90
  exclude:

$ cat config.yml
client:
  hosts:
    - elk-elasticsearch
  port: 9200
  url_prefix:
  use_ssl: False
  certificate:
  client_cert:
  client_key:
  ssl_no_validate: False
  http_auth:
  timeout: 30
  master_only: False

logging:
  loglevel: INFO
  logfile:
  logformat: default
  blacklist: ['elasticsearch', 'urllib3']

$ curator --config ./config.yml action.yml
```

[kb](#)

From:

<http://fortytwo.adurias.org/> - **Fortytwo - Answer to the Ultimate Question of Life, the Universe, and Everything**

Permanent link:

<http://fortytwo.adurias.org/elasticsearch?rev=1560777085>

Last update: **2019/06/17 15:11**

