

Splunk Queries

Count Events per Index

```
| tstats count WHERE index=* OR index=_* by index
```

List Indexes

```
| eventcount summarize=false index=* | dedup index | fields index
```

Events per Host / Index / Sourcetype

```
| tstats count as EVENTS_PER_HOST where index=* by index,sourcetype,host | table * | sort by index
```

Ingestion by Index

```
index=_internal sourcetype=splunkd source=*license_usage.log type=Usage  
| stats sum(b) as bytes by idx | eval mb=round(bytes/1024/1024,3)
```

=== Timechart ===

```
index=_internal sourcetype=splunkd source=*license_usage.log type=Usage  
| timechart span=1d sum(b) as usage by idx limit=0 | foreach * [ eval  
"<<FIELD>>"=round( '<<FIELD>>' /1024/1024,3) ]
```

Export Lookup file

```
| inputlookup my_lookup.csv
```

List of Macros

```
| rest /servicesNS/-/-/admin/macros count=0
```

[kb, splunk](#)

From:

<http://fortytwo.adurias.org/> - Fortytwo - Answer to the Ultimate Question of Life, the Universe, and Everything

Permanent link:

<http://fortytwo.adurias.org/splunk-queries?rev=1707818025>

Last update: **2024/02/13 10:53**

